

HOME APPLIANCE COLLECTION



 **tisira**
LIFE IS FOR LIVING

OVENS





TOT604 60cm Built in Oven

- 66L Gross Capacity
- 4 Cooking Functions
- Manual Timer
- Triple Glazed Door
- Stainless Steel




TOC608 60cm Built in Oven

- 66L Gross Capacity
- 8 Cooking Functions
- Programmable electronic timer
- Triple Glazed Door
- Stainless Steel



TOC909 90cm Built in Oven

- 90L Gross Capacity
- 9 Functions
- Rotisserie
- Programmable electronic timer
- Triple Glazed Door
- Stainless Steel



Model Number	TOT604	TOC608	TOC909
Main Oven Type	Electric	Electric	Electric
Gross Oven Capacity	66L	66L	90L
Temperature Range (°C)	50-250	50-250	50-250
Functions	4	8	9
Light	Yes	Yes	Yes
Defrost	Yes	Yes	Yes
Grill - Half	No	Yes	No
Grill - Full	No	Yes	Yes
Fan Forced	Yes	Yes	Yes
Bottom Element	No	No	Yes
Top & Bottom Element	No	Yes	Yes
Fan & Bottom Element	No	Yes	No
Fan Assist	No	No	Yes
Fan Grill - Half	No	No	Yes
Fan Grill - Full	Yes	Yes	Yes
Temperature Control	Manual Thermostat	Manual Thermostat	Manual Thermostat
Cleaning	Manual	Manual	Manual
Door Glass layers	3	3	3
Type of Regulation	Knob	Knob	Knob
Timer Type	Manual	Electronic (6 Button)	Electronic (3 Button)
Thermostat Indicator	Yes	Yes	Yes
Oven on/off Indicator	Yes	No	No
Rotisserie Motor	No	No	Yes
Type of Main Oven Guides	Removable Chrome Racks	Removable Chrome Racks	Removable Chrome Racks
Oven Accessories	2 Shelves, 1 Drip Tray + Wire Insert, Pan Handle	2 Shelves, 1 Drip Tray + Wire Insert, Pan Handle	2 Shelves, 1 Drip Tray + Wire Insert, Pan Handle
Over-temp Cut Off	Yes	Yes	Yes
Supply Voltage	220-240V~ 50Hz	220-240V~ 50Hz	220-240V~ 50Hz
Absorbed Power (W)	2700-3220	2700-3220	2800-3400W
Absorbed Current (A)	15	15	15
Dimenions (mm) (WxHxD)	595 x 595 x 540	595 x 595 x 540	895 x 548 x 475


LIFE IS FOR LIVING!

We know that you work hard for your money and that you want products that look great and perform well - not to mention outstanding value for money!

The Tisira range has been specially developed here in Australia for the Australian market offering a product range catering for the commercial market up to the home buyer renovator.

Our local team of product designers, cooks and engineers are designing products with three key elements - Design, Performance & Value. Being an Australian Company we understand your requirements and we would be proud to have any of our products in our own homes!

HOBS



TG60
60cm 4 Burner
Gas Hob

- Cast Iron Trivets
- Electronic Ignition
- Front Controls
- Stainless Steel



TGW60
60cm 4 Burner
Gas Hob

- Triple Ring Wok Burner
- Cast Iron Trivets
- Electronic Ignition
- Front Controls
- Stainless Steel



TGW60
60cm 4 Burner
Gas Hob

- Triple Ring Wok Burner
- Cast Iron Trivets
- Electronic Ignition
- Flame Failure
- Front Controls
- Stainless Steel



TGW90
90cm 5 Burner
Gas Hob

- Triple Ring Wok Burner
- Cast Iron Trivets
- Electronic Ignition
- Flame Failure
- Front Controls
- Stainless Steel

Model Number	TG60	TGW60	TGW60	TGW90
Cooking Zones	4	4	4	5
Front Left Zone - (MJ/h)	10.50	14.00	14.00	10.50
Front Right Zone - (MJ/h)	4.50	4.50	4.50	4.50
Middle Zone (MJ/h)	N/A	N/A	N/A	14.00
Rear Left Zone (MJ/h)	6.00	6.00	6.00	6.00
Rear Right Zone (MJ/h)	6.00	6.00	6.00	6.00
Total NHGC	27.00	30.50	30.50	41.00
Ignition Type	Electronic	Electronic	Electronic	Electronic
Hob Flame Failure Device	No	No	Yes	Yes
Location of Controls	Front	Front	Front	Front
Type of Regulation	Knob	Knob	Knob	Knob
Hob Colour	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Pan Support	2 x Cast Iron	2 x Cast Iron	2 x Cast Iron	3 x Cast Iron
Inclusions	NG Regulator, ULP Conversion Kit	NG Regulator, ULP Conversion Kit	NG Regulator, ULP Conversion Kit	NG Regulator, ULP Conversion Kit
Supply Voltage	220-240V~	220-240V~	220-240V~	220-240V~
Supply Frequency	50/60Hz	50/60Hz	50/60Hz	50/60Hz
Plug Type	Australian - 10A	Australian - 10A	Australian - 10A	Australian - 10A
Dimensions	620 x 84 x 510	620 x 84 x 510	620 x 84 x 510	909 x 90 x 510



TCK60
60cm Ceramic Hob

- 4 Cooking Zones
- Knob Controls
- Frameless Design



TCT60
60cm Ceramic Hob

- 4 Cooking Zones
- Touch Control
- Frameless Design



TS7010
60cm Induction Hob

- 4 Cooking Zones
- Touch Control
- Frameless Design
- Auto Shutdown Safety Function

Name	TCK60	TCT60	TS7010
Hob Style	Frameless	Frameless	Frameless
Cooking Zones	4	4	4
Element Type	Ribbon	Ribbon	Induction
Front Left Zone (W)	1800	1800	2000
Front Right Zone (W)	1200	1200	1500
Rear Left Zone (W)	1200	1200	1500
Rear Right Zone (W)	1800	1800	2000
Location of controls	Side - Right	Side - Right	Front
Control Colour	Black	N/A	N/A
Control Type	Knob	Touch	Touch
Power Levels	N/A	9	9
Main On/Off Switch	No	Yes	Yes
Hob Material	Vitro Ceramic Glass	Vitro Ceramic Glass	Vitro Ceramic Glass
Auto Switch Off (safety)	No	Yes	Yes
Child Lock	No	Yes	Yes
Residual Heat Indicator	Yes	Yes	Yes
Supply Voltage	220-240V~	220-240V~	220-240V
Supply Frequency	50/60Hz	50/60Hz	50Hz
Power (W)	5500-6600	5500-6600	7000
Dimensions	590 x 55 x 520	590 x 55 x 520	590 x 55 x 520

RANGEHOODS

tisira



TS60SS

60cm Slide Out Hood

- 2 Speed Settings
- 425m³/h Air Flow
- White with Stainless Fascia

TS90SS

90cm Slide Out Hood

- 2 Speed Settings
- 425m³/h Air Flow
- White with Stainless Fascia

TUM52SS

52cm Undermount Hood

- 3 Speed Settings
- 600m³/h Air Flow
- White with Stainless Fascia

TUM70SS

70cm Undermount Hood

- 3 Speed Settings
- 600m³/h Air Flow
- White with Stainless Fascia

Model Number*	TS60SS	TS90SS	TUM52SS	TUM70SS
Type	Front recirculate or top duct	Front recirculate or top duct	Top Ducted	Top Ducted
Extraction Rate (m ³ /hr)	425	425	600	600
Switch Type	Rocker	Rocker	Push Button	Push Button
No. Speed Settings	2	2	3	3
Fascia type	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Body Colour	White	White	White	White
Lighting type	Halogen	Halogen	Halogen	Halogen
Light location	Rear	Rear	Rear	Rear
Supply Voltage	240V~ 50/60Hz	240V~ 50/60Hz	240V~ 50/60Hz	240V~ 50/60Hz
Absorbed Current (A)	10	10	10	10
Location of Control	Light - Left, Speed - Right	Light - Left, Speed - Right	Right	Right
Ducting Outlet	120	120	150	150
Filter Type	Aluminium + Carbon Cotton	Aluminium + Carbon Cotton	Aluminium	Aluminium
Facade Thickness	20	20	9	9
Dimensions	600 x 176 x 286	900 x 176 x 286	520 x 252 x 286	700 x 252 x 286



TRH6

60cm Canopy Hood

- 3 Speed Settings
- 540m³/h Air Flow
- Stainless Steel

TRH9

90cm Canopy Hood

- 3 Speed Settings
- 540m³/h Air Flow
- Stainless Steel

TRH9CU

90cm Canopy Hood

- 3 Speed Settings
- 540m³/h Air Flow
- Stainless Steel and Glass

TRH9FL

90cm Canopy Hood

- 3 Speed Settings
- 540m³/h Air Flow
- Stainless Steel and Glass

Model Number*	TRH6	TRH9	TRH9CU	TRH9FL
Type	Canopy	Canopy	Canopy	Canopy
Extraction Rate	540m ³ /h	540m ³ /h	540m ³ /h	540m ³ /h
Switch Type	Push Button	Push Button	Push Button	Push Button
No. Speed Settings	3	3	3	3
Fascia Type	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Lighting Type	Halogen	Halogen	Halogen	Halogen
Light Location	Rear	Rear	Rear	Rear
Supply Voltage	220-240V~ / 50Hz	220-240V~ / 50Hz	220-240V~ / 50Hz	220-240V~ / 50Hz
Absorbed Current	N/A	N/A	N/A	N/A
Location of Controls	Front Right	Front Right	Front Middle	Front Middle
Ducting Outlet	150	150	150	150
Filter Type	Aluminium	Aluminium	Aluminium	Aluminium
Facade Thickness	13	13	N/A	N/A
Dimensions	600 x 500 x 1000	900 x 500 x 1000	900 x 500 x 560	900 x 500 x 560

DISHWASHER


tisira



TDW-1S

60cm Dishwasher


- 12 place Settings
- 7 Wash programs including:
 - Intensive, Heavy, Normal, Rinse, Glass, Rapid, soak
- Delay Start
- Concealed Heating Element
- Time Remaining Display
- Integrated Electronic Control
- Anti-Leak, Anti-Flood Device
- Stainless Steel



L45X

45cm Dishwasher

- Compact 45cm Width
- 8 Place Settings
- 6 Wash programs including:
 - Intensive, Heavy, Normal, Rinse, Rapid 30", 3N1 Tab Wash
- Delay Start
- Electronic Controls
- Ready for Tablets
- Stainless Steel




BUILT IN MICROWAVE



MWA228IX

Built in Microwave / Grill with Trim Kit

- 28L Electronic Microwave
- 900W Microwave Power Output
- 5 Power Levels
- 1000W Grill Power
- 99 Minute Timer
- 315mm Turntable
- Stainless Steel



LIFE IS FOR LIVING



SINKS & SINK MIXERS



LIVING EDGE

View full details of products on our website www.mysink.com.au



TSLE780

Right Hand Drainer Model # TSLE780RM
Left Hand Drainer Model # TSLE780LM
Mixer included
Sink Dimensions: 780x480mm
Bowl Dimensions: 330x380x185mm



TSLE1080

Right Hand Drainer Model # TSLE1080RM
Left Hand Drainer Model # TSLE1080LM
Mixer included
Sink Dimensions: 1082x480mm
Bowl Dimensions: 330x380x185mm
280x330x150mm



TSLE1160

Right Hand Drainer Model # TSLE1160RM
Left Hand Drainer Model # TSLE1160LM
Mixer included
Sink Dimensions: 1160x480mm
Bowl Dimensions: 330x380x185mm
330x380x185mm

FUSION



TSF840

Right Hand Drainer Model # TSF840R
Left Hand Drainer Model # TSF840L
Sink Dimensions: 840x480mm
Bowl Dimensions: 360x400x200mm



TSF1180

Right Hand Drainer Model # TSF1180R
Left Hand Drainer Model # TSF1180L
Sink Dimensions: 1180x500mm
Bowl Dimensions: 360x400x200mm
300x340x160mm

SERIES R



TSSR900

Right Hand Drainer Model # TSSR900R
Left Hand Drainer Model # TSSR900L
Sink Dimensions: 900x500mm
Bowl Dimensions: 400x400x205mm



TSSR1200

Right Hand Drainer Model # TSSR1200R
Left Hand Drainer Model # TSSR1200L
Sink Dimensions: 1200x500mm
Bowl Dimensions: 345x400x205mm
345x400x205mm

SERIES R UNDERMOUNT



TSSR395

Model # TSSR395
Sink Dimensions: 395x450mm
Bowl Dimensions: 345x400x205mm



TSSR450

Model # TSSR450
Sink Dimensions: 450x450mm
Bowl Dimensions: 400x400x205mm



TSSR600

Model # TSSR600
Sink Dimensions: 600x450mm
Bowl Dimensions: 550x400x205mm



TSSR765

Model # TSSR765
Sink Dimensions: 765x450mm
Bowl Dimensions: 345x400x205mm x 2

SINK MIXERS



TMLE

Features:

- Chrome Finish
- Ceramic Cartridge
- European Design
- 4 star Wels Rating
- 7.5 Lpm
- Max 500 kPa



TMFG

Features:

- Chrome Finish
- Ceramic Cartridge
- European Design
- 4 star Wels Rating
- 7.5 Lpm
- Max 500 kPa



TMFR

Features:

- Chrome Finish
- Ceramic Cartridge
- European Design
- 4 star Wels Rating
- 7.5 Lpm
- Max 500 kPa




TMFS

Features:


- Chrome Finish
- Ceramic Cartridge
- European Design
- 4 star Wels Rating
- 7.5 Lpm
- Max 500 kPa

MEASUREMENTS


TG60




TGW60




TGWF60




TGWF90




TCK60




TCT60




TS7010




TS60SS




TS90SS




TUM52SS




TUM70SS




TRH6




TRH9



TRH9CU



TRH9FL



HOME APPLIANCE COLLECTION



LIFE IS FOR LIVING!

t tisira

HEAD OFFICE | ARISIT PTY LTD
40-44 Mark Anthony Drive
Dandenong South, VIC, 3175
Ph: 1300 762 219 | Fax: 03 9768 0838

www.tisira.com

All Tisira appliances carry a Total Peace of Mind 2 year warranty